
AD-ICE INCAS

Title: Digital Mixer and Control Method for Digital Mixer Inventor(s): Kei NAKAYAMA and Kotaro TERADA

Application No.: Not yet assigned Docket No.: 393032039300

1/13

FIG. 1




+

Application No.: Not yet assigned Docket No.: 393032039300


2/13

FIG. 2



Application No.: Not yet assigned Docket No.: 393032039300


3/13



|

Application No.: Not yet assigned Docket No.: 393032039300

4/13




IG. 4

Application No.: Not yet assigned Docket No.: 393032039300


5/13

FIG. 5




+

Application No.: Not yet assigned Docket No.: 393032039300



Application No.: Not yet assigned Docket No.: 393032039300


7/13




Application No.: Not yet assigned Docket No.: 393032039300

8/13

FIG. 8A






Disabled

Application No.: Not yet assigned Docket No.: 393032039300


9/13

FIG. 10A



Application No.: Not yet assigned Docket No.: 393032039300

10/13




4

Application No.: Not yet assigned Docket No.: 393032039300

11/13

FIG. 11



Application No.: Not yet assigned Docket No.: 393032039300

12/13 **OPERATIVE STATE** 901 NORMALLY \sim 905 엉 FIG. 12B **NEW CONNECTION OF INSTRUCT STOPPING** OF COMMUNICATION CHECK DIALOG BOX **DISPLAY VERSION OPERATIVE STATE** CONNECTED UNIT **UNIT DETECTED** WITH THE UNIT **PARTIALLY** CHECK 8 OK? 1212 **OPERATIVE STATE** 901 NORMALLY \sim 1201 903 엉 FIG. 12A STOPPING OF OPERATION OF CONNECTED BLOCKS **NEW CONNECTION OF** CONNECTED DEVICE **INOPERATIVE STATE** CHECK DIALOG BOX DEVICE DETECTED **DISPLAY VERSION** INSTRUCT 9 CHECK OK? 1202

Application No.: Not yet assigned Docket No.: 393032039300

13/13




FIG. 12C